FORESCOLOR

FORESCOLOR

FORESCOLOR is Engineered Wood with unique colour and textures. Its natural appearance and consistent colour distributed throughout, allows various solutions in design concept, for enclosed interior space.



ADD MORE COLOUR TO YOUR LIFE

KR	FORESCOLOR는 새로운 개념의 Engineered Wood이며, 독특한 색상과 질감으로 독창적이고 창의적인 공간표 현이 가능합니다. 또한, 천연 소재인 목재와 환경친화적 염료로 만들어져 밀폐된 실내 공간 또는 인체와 직접 접촉되는 용도로의 사용이 가능하며, 다중 이용시설의 인테리어 및 욕실, 부엌 가구 소재로 적합합니다.
СН	FORESCOLOR 是全新概念的Engineered Wood,有獨特的色感和質感,可以為空間表現獨創而創新的應 用. 而且以天然素材木製而成,是環保原料,適用於封閉的室內空間或者與人體直接接觸的家具,也適合 於多重應用的室內裝飾、廚房家具等空間環境.
JP	FORESCOLOR は,新たな概念のEngineered Woodであり,独特の色相と質感により独創的かつクリエイティブな空間表現が可能です.また,天然素材である木材とエコ染料によって作られるため,密閉された空間または人体に直接触れる場合にも使用できます.多目的利用施設 のインテリアや浴室,キッチンの家具にも最適な素材です.
EN	FORESCOLOR is a coloured throughout wood fibre board. Its natural appearance and consistent colour allow various solutions in design concept, for enclosed interior space.
PT	FORESCOLOR é um painel de fibras de madeira de pinho com cor em toda a espessura. A sua aparência natural e cor consistente permite criar múltiplas soluções de design, para diversas aplicações em espaços interiores.
FR	FORESCOLOR est un panneau de fibres de bois coloré dans la masse.
ES	FORESCOLOR es una madera de ingeniería de nuevo concepto, cuyos únicos colores y texturas nos permiten construer(space missing between words) las originales y creativas expresiones del espacio.
DE	FORESCOLOR ist eine durchgefärbte Holzfaserplatte.
IT	FORESCOLOR è un pannello in fibre di legno, colorato in tutta la sua massa.

PRODUCT RANGE			Thick	ness (mm)	_		1,220mm 1,830mm	DIMENSION x 2,440mm x 2,440mm x 3,050mm
	BLACK	5	8	9	12	16	18	19
	GREY	5	8	9	12	16	18	19
	LIGHT GREY	5	8	9	12	16	18	19
电子子等 克瑟克夫曼	RED	5	8	9		16	18	19
	ORANGE	5	8	9		16	18	19
	YELLOW	5	8	9		16	18	19
	GREEN	5	8	9		16	18	19
	BLUE	5	8	9		16	18	19
* Decade any area and a law unitations due to the	BROWN	5	8	9		16	18	19

^{*} Boards can present colour variations due to the wood's natural changes of tone and to the use of organic dyes only.

^{*} The tone of the surface may get darker with a finishing applied. (varnish,oil,wax)

















KR

전시부스 가구 및 도어 상업공간 인테리어 벽장재 흡음판 데코레이티브 패널 악세서리



展示台 家具和门 商业空间装饰 墙板 吸音板 装饰板 饰品



展示会のブース 家具およびドア ショップのパネル 壁パンネル 吸音パンネル デコレーション用パネル アクセサリー



Exhibition Stands Furniture & Doors Shopfitting Wall panels Acoustic panels Decorative panels Accessories



Stands de exposição Móveis e Portas Espaços comerciais Painéis de parede Painéis acústicos Painéis decorativos Acessórios



Stands de Présentation Meubles & Portes Design de Surface Commerciale Panneau Mural Panneau Acoustique Panneau Décoratif Accessoire



Stands para exposiciones Muebles y puertas Decoración de tiendas Paneles de pared Paneles acústicos Paneles Decorativos Accesorios



Ausstellungsbude Moebel und Tuere Handelsraum-Innenausstattung Spazio interno commerciale Wandplatten akustische Platten Dekorierplatten Schmuck



Cabina espositiva Pannelli a parete Spazio interno commerciale pannelli acustici Pannelli decorativi Accessorio



엠보보드 TEXTURE PATTERN COLLECTION

1220*2440mm * 주문시 문의 필요 / contact for more info

Classic wood Fabric Bamboo Ocean

흡음보드 ACOUSTIC COLLECTION




1220*2440mm 8 9 mm	1200*2400mm 8 9 mm	1184*2400mm 8 9 mm
Circle - TYPE	Line 16p - TYPE	Line 32p - TPYE




FLOORING COLLECTION

Customizable floorboards







Technical Characteristics

 Thickness 	EN 324-1	16mm
Density	EN 323	760kg/m ³
Moisture content	EN 322	7 +/- 2%
Thickness swelling (24h)	EN 317	8%
Tensile strength	EN 319	≥0,8N/mm²
Flexural strength	EN 310	≥35N/mm²
• E-Modul	EN 310	≥2700N/mm²
Thickness swelling after cycl. test	EN 321	15%
ensile strength after cycl. test	EN 321	0,20N/mm ²
Thermalresistance		-
IS06946:2018-03	0,10m ² K/\	N



KEILVERBINDER BESCHLAGSYSTEM



www.keilverbinder.com

operating principe - functional sample

ADVANTAGES:

- INVISIBLE MOUNTING for minimalist design
- DETACHABLE CONNECTION
- SPACE-SAVING AND VERSATILE suitable for thin panels
- TOOL-FREE ASSEMBLY
- QUICK and EFFECTIVE
- PRESSURE and TENSION RESISTANT
- PATENTED SYSTEM



APPLICATION:

- SHELVING
- **DOUBLING**, for fronts from 5mm
- Concealed.detachable PANEL COVERS
- EXHIBITION STAND CONSTRUCTION simple to assemble and dismantle
- TIGHT SPACE ASSEMBLY, slides on from the front
- Invisible, detachable MITRE JOINT
- CUSTOM SOLUTIONS FOR DIFFERENT INDUSTRIES



The Dovetail connector milling cutter has been optimally matched to the Forescolor material. Its homogeneous material composition results in excellent milling quality at the end faces, as well as the surface.

The Forescolor material is extremely tool-friendly, the milling can be carried out with underfloor milling machines, routers, as well as CNC machines optimised for every workpiece.

Request your free functional sample!









KEILVERBINDER BESCHLAGSYSTEM



www.keilverbinder.com

Application examples



No connections are visible in the fully assembled state, the individual furniture parts can also be dismantled without tools





Project: WILLI

www.michaelhilgers.de/willi

Reinvent the ordinary

About WILLI:

WILLI is a minimalist, simple space-saving piece of furniture that either works on its own or as an integration to existing furniture.

The coloured throughout wood fibre board of Forescolor turns this simple shelf insert into an eye-catcher. When open, it offers storage space as well as a small workplace and thus transforms into a space-saving home office solution for the bedroom or living room. All parts of the box as well as the millings for the connection with Keilverbinder are manufactured exclusively with the Shaper Origin.

Get more information about Project WILLI michaelhilgers, de/willi



Keilverbinder: With its invisible and reversible mounting, Keilverbinder is the perfect solution for space-saving and minimalistic design ideas.





About WILLI :

Michael Hilgers, architect and funiture designer

Architect Michael Hilgers is known for developing space-saving solutions for work- and living environments. With his design methodology of 'pragmatic design' the trained carpenter creates new, individually fitting and practical solutions to everyday living problems.

What was your intention while designing WILLI?

Michael: Working from home is a new requirement which unexpectedly has invaded many of our (sometimes quite small) living spaces; at the same time, physical books are getting less relevant. The idea was to combine those megatrends and to create a space-saving solution which upgrades the world's best-selling bookshelf by adding a simple but individual plug and work solution.

Origin, Keilverbinder and Forescolor the perfect system?


Michael: Forescolor is an eco-friendly MDF with unique mechanical features and a great look & feel; Keilverbinder is an ingenious invisible tool-less connector which easily can be dismantled and works also with thin materials- and Shaper Origin literally links all these parts together. Forescolor is also very tool-friendly, so that the female connection can be cut particularly easily and directly into the wood fiber board. So combining all three obviously is a perfect match.

What is special about that design?

M: WILLI is a simple tool which adds some helpful functions to a common shelf which is used in millions of households worldwide. It can be used as a sitting or standing desk without requiring any extra space.

Does WILLI work without the shelf, or is it just intended as an addition?

M: The idea is that WILLI can be a plug-in to an existing piece of furniture - but it can also be wrapped with other individual casings. You can add legs, you can hide it in your closet - or you can fix on the wall to create a floating desk. WILLI is a modest, unpretentious guy who loves to help.



Customizable design

Use Shaper Origin to easily process and customize the Forescolor material. Add engravings to the front or integrate additional functions such as wireless chargers, pen holders or LED lights. The wood fibre board is tool friendly and perfect for processing with the power tool.

Learn more about Shaper Origin: shapertools.com




ADVANTAGE



Moisture Resistant

Moisture Resistant

- KR 특수 접착제 사용으로 우수한 내습성, 사용환경에 적합한 마감을 통해 습도가 높은 주방, 욕실 등에 적용 가능.
- 使用优秀的粘合剂,耐湿性优秀. 通过使用环境的安排,厨房,浴室等湿度高环境的地方合适.
- | JP | 一般製品に比べ内湿性約40%程度向上.
- Presents a high moisture resistance due to the high content of melamine in its resin. It can be used in kitchens and bathrooms, with the correct finishing.



- Presente une haute resistance a l'humidite due a la teneur elevee en melamine dans sa resine incorporee. Il peut etre utilise dans les cuisines et salles de bains, avec la finition correcte.
- Presenta una alta resistencia a la humedad debido al alto contenido de melamina en su resina incorporada. Se puede utilizar en cocinas y banos, con el acabado correcto.
- Erhält eine hohe Feuchtigkeitsbeständigkeit aufgrund des hohen Gehalts an Melamin in seinem Harz. Es kann in Küchen und Bädern verwendet werden, mit dem richtigen Finishing.
- Ha un'elevata resistenza all'umidita a causa dell'elevato contenuto di melamina nella sua resina utilizzata. Puo essere utilizzato in cucine e bagni, con la corretta finitura.



Non Toxic

Non Toxic

- 친환경접착제 사용으로 EO 등급의 폼알데히드 방출량 유지 환경친화적 염료 사용으로 인체에 무해.
- CH 是环保型粘合剂,可维持E0等级的 甲醛 释放量 环保型颜料对人体无害
- JP エコ接着剤の使用により,E0クラスのフォルムアルデヒド放出量の維持. 環境に優しい染料を用いるため人体に無害.
- Classified E0 in terms of formaldehyde emission (desiccator method), according to Korean standards. Produced with organic dyes.

- PT É classificado E0 quanto à emissão de formaldeído (método do exsicador), de acordo com as normas coreanas. Produzido com corantes orgânicos.
- FR Classé E0 en termes d'émission de formaldéhyde (méthode du dessiccateur), selon les normes coréennes. Produit avec des colorants organiques.
- Clasificado E0 en términos de emisión de formaldehído (método del desecador), según las Normas Coreanas. Producido con colorantes orgánicos.
- Rlassifiziert E0 in Form von Formaldehyd-Emission (Exsikkator-Methode), nach koreanischen Standards. Produziert mit organischen Farbstoffen.
- Classificato E0 in termini di emissione di formaldeide (metodo esiccatore), secondo gli standard coreani. Prodotto con coloranti organici.

ADVANTAGE




Color Throughout

KR 제품 표면에서부터 내부까지 동일한 색상 유지.

CH 从产品表面到内部维持同意颜色.

JP 製品表面から内部まで同じ色

EN Coloured from surface to all the way through.



FR Teinté dans la masse.

ES Colorido en todo su espesor.

DE Vollständig durchgefärbt.

IT Colorato in tutta la sua massa.





Tool Friendly

Tool Friendly

우수한 제품밀도와 특수 접착제 사용으로 뛰어난 가공성과 최소한의 연마작업만 필요.

使用优秀产品密度和特殊粘合剂,需要高超的加工 性和最起码的研磨做工.

優秀な製品密度および特殊な接着剤により優れた加工性 と最低限の研磨作業のみを要する.

Due to its excellent density profile and high melamine content of resin used, there is little or no sanding required after machining.

Devido ao seu excelente perfil de densidade e elevado teor de melamina da resina utilizada, requer pouca ou nenhuma lixagem após fresagem.

En raison de son excellent profil de densité et de sa teneur élevée en mélamine de la résine utilisée, il y a peu ou pas de ponçage requis après l'usinage.

Debido a su excelente perfil de densidad y alto contenido de melamina en la resina utilizada, se requiere poco o ningún lijado después del mecanizado.

Aufgrund des hervorragenden Dichteprofils und des hohen Melamingehaltes des verwendeten Harzes ist nach der Bearbeitung wenig oder kein Schleifen erforderlich.


A causa del suo eccellente profilo di densità e dell'elevato contenuto di melammina della resina utilizzata, dopo la lavorazione è necessaria una piccola o nessuna levigatura.

ON REQUEST



Flame Retardant

- KR 사용자의 요구에 따라 방염 기능성 추가 가능.
- **CH** 根据用户要求可添加防染功能.
- JP ユーザーの要望により防炎機能性追加可能
- **EN** Flame Retardant available by request (Class B-s2,d0).



- FR Ignifuge sur demande (Classe B-s2,d0).
- ES Ignífugo a solicitud (Clase B-s2,d0).
- DE Flammschutzmittel lieferbar nach Kundenanfrage (Klasse B-s2,d0).
- | | Ignifugo disponibile su richiesta (classe B-s2, d0).



No Added Formaldehyde

No Added Formaldehyde

- KR 제조공정상 수지의 폼알데히드가 포함되지 않는 NAF(No Added Formaldehyde) 제품으로 생산 가능.
- CH 可生产制造工程当中无无甲醛树脂的 NAF(No Added Formaldehyde) 产品.
- JP 製造工程上樹脂のフォルムアルデヒドが含まれない NAF(No Added Formaldehyde)製品として生産可能.
- **EN** Produced with resins free of formaldehyde by request.

- PT Produzido com resinas isentas de formaldeído sob pedido.
- FR Produit avec des résines exemptes de formaldéhyde sur demande.
- ES Producido con resinas sin formaldehído a solicitud.
- DE Produziert mit Formaldehyd-Forfen auf Anfrage.

ON REQUEST



Pre-Coated

- KR 수성도료 코팅으로 습기, 자외선에 강화된 내구성.
- CH 属于水性涂料涂层强化与潮湿、紫外线的内构成
- JP 水性塗料のコーティングにより湿気,紫外線に対し強化された耐久性.
- Pre-coated product, with a water based finish, to increase resistance, available by request.

- PT Produto pré-acabado, com acabamento à base de água, para aumentar a resistência, disponível sob pedido.
- FR Produit pré-enduit, avec une finition à base d'eau, pour augmenter la résistance, disponible sur demande.
- Producto pre-revestido, con un acabado a base de agua, para aumentar la resistencia, disponible bajo petición.
- DE Vorbeschichtetes Produkt, mit wasserbasiertem Finish, um den Widerstand zu erhöhen, auf Anfrage erhältlich.
- Prodotto pre-rivestito, con finitura ad acqua, per aumentare la resistenza, disponibile su richiesta.




















KITCHEN & BATHROOM www.forescolor.com


















































Add emotion


















Regional Manager (Europe)

Yoosung Chun ychun@foresco.co.kr +82 32 715 5752

Regional Manager

(Republic of Korea) 김익환 부장 ihkim@foresco.co.kr 032-715-5704

Regional Manager

(Middle East / America / Oceania / Africa) Madelo Bong bong@foresco.co.kr +82 32 715 5764

Regional Manager

(Republic of Korea) 김진국 과장 jkkim@foresco.co.kr 032-715-5704

Regional Manager

(Asia) Ikhwan Kim

ihkim@foresco.co.kr +82 32 715 5706

Regional Manager

(Republic of Korea) 김상태 과장 stkim@foresco.co.kr 032-715-5704

















FORESCO

404-811 212, Bongsu- Daero, Seo-gu, Incheon, Korea (173-43, Gajwa-dong) Tel +82 32 715 5704 Fax 0505 302 4901

Homepage www.foresco.co.kr/www.forescolor.com

